

NATIONAL DECLARATION OF PERFORMANCE

nr N/MIESZ/2018

1. TYPE DESIGNATION OF THE CONSTRUCTION PRODUCT: SANITARY SHOWER SET UNDER CODES:

1) NAC_016M	32) NAC_09JP	63) NQS_D9XK	96) NAC_06QP
2) NAC_019M	33) NAC_09HP	64) NQS_F9XK	97) NAC_D6QP
3) NVO_019M	34) NAC_N9JP	65) NQS_N9XK	98) NAC_N6QP
4) NAC_01AM	35) NAC_09VA	66) NQS_R9XK	99) NAC_09GA
5) NAC_01EM	36) NAC_N9VA	67) NQS_D9YK	100) NQL_04XM
6) NAC_01JM	37) NAC_09KP	68) NQS_F9YK	101) NQL_D4XM
7) NAC_N1JM	38) NAC_09MP	69) NQS_N9YK	102) NQL_N4XM
8) NAC_01QK	39) NAC_09QP	70) NQS_R9YK	103) NAC_Z9LP
9) NAC_Z1QK	40) NAC_Z9QP	71) NTT_09QP	104) NAC_N9LP
10) NAC_09TP	41) NAC_N9FP	72) NTT_D9QP	105) NQL_N9YK
11) NAC_D9TP	42) NAC_N9MP	73) NTT_N9QP	106) NQL_09YK
12) NAC_N9TP	43) NAC_N9QP	74) NTT_Z9QP	107) NQL_D9YK
13) NAC_01QM	44) NAC_01QG	75) NTT_01QK	108) NQS_C4XM
14) NAC_01WM	45) NAC_09LM	76) NTT_D1QK	109) NQS_C9YK
15) NAC_09AP	46) NAC_A1QM	77) NTT_N1QK	110) NQS_C9XK
16) NAC_09BP	47) NAC_D1QK	78) NTT_Z1QK	111) NQS_C0YK
17) NAC_09LP	48) NAC_D9QP	79) NTT_09QA	112) NQS_C0XK
18) NAC_09VG	49) NAC_N9PP	80) NTT_D9QA	113) NQS_R0YK
19) NAC_N9VG	50) NER_N1RK	81) NTT_N9QA	114) NQS_R0XK
20) NAC_Z9VG	51) NVA_N1RK	82) NTT_Z9QA	115) NQS_N0YK
21) NAC_09NP	52) NAC_N1BZ	83) NAC_N1AM	116) NQS_N0XK
22) NAC_09RP	53) NVS_01QM	84) NAC_Z1AM	117) NQS_F0YK
23) NBJ_01RK	54) NVS_N1QM	85) NAC_R1QK	118) NQS_F0XK
24) NBJ_01SK	55) NQS_F4XM	86) NAC_D10K	119) NQS_D0YK
25) NAC_01SM	56) NQS_D4XM	87) NAC_N10K	120) NQS_D0XK
26) NAC_N1QK	57) NQS_N4XM	88) BFCA044P	121) NQS_A0YK
27) NAC_N1QM	58) NQS_R4XM	89) NAC_09TQ	122) NQS_A0XK
28) NAC_01PM	59) NAC_09QA	90) NAC_N9TQ	123) NQS_00YK
29) NAC_09DP	60) NAC_D9QA	91) NAC_M9TQ	124) NQS_00XK
30) NAC_09EP	61) NAC_N9QA	92) NAC_R9QP	125) NLI_01RK
31) NAC_09IP	62) NAC_Z9QA	93) NLU_F1RK	126) NLC_04SK
		94) NUT_04XM	127) NAC_D1QK
		95) NER_01RK	128) NER_04PM
			129) NER_N4PM
			130) NVQ_04XM
			131) NVQ_D4XM
			132) NVQ_N4XM
			133) NVQ_09YK
			134) NVQ_D9YK
			135) NVQ_N9YK

- INTENDED USE OR USES: USED FOR ABLUTIONARY PURPOSES AND INTENDED FOR EQUIPPING AND SUPPLEMENTIG SANITARY TAPWARE FOR BATH AND SHOWERS
- NAME AND ADDRESS OF THE MANUFACTURE: Deante sp. z o.o. ul. Twarda 11/13, 95-100 Zgierz
- NAME AND ADDRESS OF THE AUTHORIZED REPRESENTATIVE IF IT HAS BEEN ESTABLISHED: N/A
- THE NATIONAL SYSTEM USED TO ASSESS AND VERIFY THE CONSTANCY OF PERFORMANCE : 4.
- NATIONAL TECHNICAL SPECIFICATION
 - POLISH PRODUCT STANDARD: PN-EN 817:2008
 - POLISH PRODUCT STANDARD: PN-EN 1112:2008
 - POLISH PRODUCT STANDARD: PN-EN 1113:2015-06
- DECLARED PERFORMANCES

www.deante.pl

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES	TECHNICAL SPECIFICATION	REMARK
For all product parts fall within PN-EN 817			
LEAKTIGHTNESS CHARACTERISTICS	Pass	PN-EN 817:2008	PART 8
RESISTANCE TO PRESSURE	pass	PN-EN 817:2008	PART 9
HYDRAULIC CHARACTERISTICS (FLOW RATE): class	Pass for pressure 0,3 MPA:	PN-EN 817:2008	Part 10
	NAC_016M Class Z		
	NAC_019M Class Z		
	NVO_019M Class Z		
	NAC_01AM Class A		
	NAC_01EM Class Z		
	NAC_01JM Class A		
	NAC_N1JM Class A		
	NAC_01QK Class A		
	NAC_Z1QK Class A		
	NAC_09TP Class A		
	NAC_D9TP Class A		
	NAC_N9TP Class A		
	NAC_01QM Class Z		
	NAC_01WM Class S		
	NAC_09AP Class A		
	NAC_09BP Class Z		
	NAC_09LP Class A		
	NAC_09VG Class A		
	NAC_N9VG Class A		
	NAC_Z9VG Class A		
	NAC_09NP Class Z		
	NAC_09RP Class A		
	NBJ_01RK Class B		
	NBJ_01SK Class S		
	NAC_01SM Class S		
	NAC_N1QK Class A		
	NAC_N1QM Class Z		
	NAC_01PM Class S		
	NAC_09DP Class S		
	NAC_09EP Class Z		
	NAC_09IP Class A		
	NAC_09JP Class A		
	NAC_09HP Class B		
	NAC_N9JP Class A		
	NAC_09VA Class A		
	NAC_N9VA Class A		
	NAC_09KP Class S		
	NAC_09MP Class A		
	NAC_09QP Class Z		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NAC_Z9QP	Class	B		
	NAC_N9FP	Class	A		
	NAC_N9MP	Class	A		
	NAC_N9QP	Class	Z		
	NAC_01QG	Class	Z		
	NAC_09LM	Class	A		
	NAC_A1QM	Class	Z		
	NAC_D1QK	Class	A		
	NAC_D9QP	Class	B		
	NAC_N9PP	Class	Z		
	NER_N1RK	Class	Z		
	NVA_N1RK	Class	Z		
	NAC_N1BZ	Class	Z		
	NVS_01QM	Class	Z		
	NVS_N1QM	Class	Z		
	NQS_F4XM	Class	S		
	NQS_D4XM	Class	S		
	NQS_N4XM	Class	S		
	NQS_R4XM	Class	S		
	NAC_09QA	Class	A		
	NAC_D9QA	Class	A		
	NAC_N9QA	Class	A		
	NAC_Z9QA	Class	S		
	NQS_D9XK	Class	S		
	NQS_F9XK	Class	S		
	NQS_N9XK	Class	S		
	NQS_R9XK	Class	S		
	NQS_D9YK	Class	S		
	NQS_F9YK	Class	S		
	NQS_N9YK	Class	S		
	NQS_R9YK	Class	S		
	NTT_09QP	Class	B		
	NTT_D9QP	Class	B		
	NTT_N9QP	Class	B		
	NTT_Z9QP	Class	B		
	NTT_01QK	Class	A		
	NTT_D1QK	Class	A		
	NTT_N1QK	Class	A		
	NTT_Z1QK	Class	A		
	NTT_09QA	Class	A		
	NTT_D9QA	Class	A		
	NTT_N9QA	Class	A		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NTT_Z9QA	Class	A		
	NAC_N1AM	Class	A		
	NAC_Z1AM	Class	A		
	BFCA044P`	Class	S/B		
	NAC_09TQ	Class	S		
	NAC_N9TQ	Class	S		
	NAC_M9TQ	Class	S		
	NAC_R9QP	Class	Z		
	NLU_F1RK	Class	Z		
	NUT_04XM	Class	A		
	NER_01RK	Class	Z		
	NAC_06QP	Class	A		
	NAC_D6QP	Class	A		
	NAC_N6QP	Class	A		
	NQS_C4XM	Class	S		
	NQS_C9YK	Class	S		
	NQS_C9XK	Class	S		
	NQS_C0YL	Class	S		
	NQS_C0YK	Class	S		
	NQS_R0YK	Class	S		
	NQS_R0XK	Class	S		
	NQS_N0XK	Class	S		
	NQS_N0YK	Class	S		
	NQS_F0XK	Class	S		
	NQS_F0YK	Class	S		
	NQS_D0XK	Class	S		
	NQS_D0YK	Class	S		
	NQS_A0XK	Class	S		
	NQS_A0YK	Class	S		
	NQS_00XK	Class	S		
	NQS_00YK	Class	S		
	NLI_01RK	Class	A		
	NLC_04SK	Class	A		
	NAC_D1QK	Class	S		
	NER_04PM	Class	A		
	NER_N4PM	Class	A		
	NVQ_04XM	Class	S		
	NVQ_N4XM	Class	S		
	NVQ_D4XM	Class	S		
	NVQ_09YK	Class	S		
	NVQ_N9YK	Class	S		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES	TECHNICAL SPECIFICATION	REMARK
	NQV_D9YK Class S		
LEAKTIGHTNESS CHARACTERISTICS	Pass	PN-EN 817:2008	Part 11
MECHANICAL STRENGTH CHARACTERISTICS	Pass	PN-EN 817:2008	Part 12
BACKFLOW PROTECTION	group II	PN-EN 817:2008	Part 13
ACOUSTIC CHARACTERISTICS: group	Pass	PN-EN 817:2008	Part 14
For all product parts fall within PN-EN 1112			
LEAKTIGHTNESS CHARACTERISTICS	Pass	PN-EN 1112:2008	Part 9
MECHANICAL CHARACTERISTICS	Pass	PN-EN 1112:2008	Part 10
HYDRAULIC CHARACTERISTICS (FLOW RATE): class	Pass for pressure 0,3 MPA:	PN-EN 1112:2008	Part 11
	NAC_016M Class Z		
	NAC_019M Class Z		
	NVO_019M Class Z		
	NAC_01AM Class A		
	NAC_01EM Class Z		
	NAC_01JM Class A		
	NAC_N1JM Class A		
	NAC_01QK Class A		
	NAC_Z1QK Class A		
	NAC_09TP Class A		
	NAC_D9TP Class A		
	NAC_N9TP Class A		
	NAC_01QM Class Z		
	NAC_01WM Class S		
	NAC_09AP Class A		
	NAC_09BP Class Z		
	NAC_09LP Class A		
	NAC_09VG Class A		
	NAC_N9VG Class A		
	NAC_Z9VG Class A		
	NAC_09NP Class Z		
	NAC_09RP Class A		
	NBJ_01RK Class B		
	NBJ_01SK Class S		
	NAC_01SM Class S		
	NAC_N1QK Class A		
	NAC_N1QM Class Z		
	NAC_01PM Class S		
	NAC_09DP Class S		
	NAC_09EP Class Z		
	NAC_09IP Class A		
	NAC_09JP Class A		
	NAC_09HP Class B		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NAC_N9JP	Class	A		
	NAC_09VA	Class	A		
	NAC_N9VA	Class	A		
	NAC_09KP	Class	S		
	NAC_09MP	Class	A		
	NAC_09QP	Class	Z		
	NAC_Z9QP	Class	B		
	NAC_N9FP	Class	A		
	NAC_N9MP	Class	A		
	NAC_N9QP	Class	Z		
	NAC_01QG	Class	Z		
	NAC_09LM	Class	A		
	NAC_A1QM	Class	Z		
	NAC_D1QK	Class	A		
	NAC_D9QP	Class	B		
	NAC_N9PP	Class	Z		
	NER_N1RK	Class	Z		
	NVA_N1RK	Class	Z		
	NAC_N1BZ	Class	Z		
	NVS_01QM	Class	Z		
	NVS_N1QM	Class	Z		
	NQS_F4XM	Class	S		
	NQS_D4XM	Class	S		
	NQS_N4XM	Class	S		
	NQS_R4XM	Class	S		
	NAC_09QA	Class	A		
	NAC_D9QA	Class	A		
	NAC_N9QA	Class	A		
	NAC_Z9QA	Class	S		
	NQS_D9XK	Class	S		
	NQS_F9XK	Class	S		
	NQS_N9XK	Class	S		
	NQS_R9XK	Class	S		
	NQS_D9YK	Class	S		
	NQS_F9YK	Class	S		
	NQS_N9YK	Class	S		
	NQS_R9YK	Class	S		
	NTT_09QP	Class	B		
	NTT_D9QP	Class	B		
	NTT_N9QP	Class	B		
	NTT_Z9QP	Class	B		
	NTT_01QK	Class	A		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NTT_D1QK	Class	A		
	NTT_N1QK	Class	A		
	NTT_Z1QK	Class	A		
	NTT_09QA	Class	A		
	NTT_D9QA	Class	A		
	NTT_N9QA	Class	A		
	NTT_Z9QA	Class	A		
	NAC_N1AM	Class	A		
	NAC_Z1AM	Class	A		
	BFCA044P	Class	S/B		
	NAC_09TQ	Class	S		
	NAC_N9TQ	Class	S		
	NAC_M9TQ	Class	S		
	NAC_R9QP	Class	Z		
	NLU_F1RK	Class	Z		
	NUT_04XM	Class	A		
	NER_01RK	Class	Z		
	NAC_06QP	Class	A		
	NAC_D6QP	Class	A		
	NAC_N6QP	Class	A		
	NAC_09GA	Class	A		
	NQL_04XM	Class	S		
	NQL_D4XM	Class	S		
	NQL_N4XM	Class	S		
	NQS_C4XM	Class	S		
	NQS_C9YK	Class	S		
	NQS_C9XK	Class	S		
	NQS_C0YL	Class	S		
	NQS_C0YK	Class	S		
	NQS_R0YK	Class	S		
	NQS_R0XK	Class	S		
	NQS_N0XK	Class	S		
	NQS_N0YK	Class	S		
	NQS_F0XK	Class	S		
	NQS_F0YK	Class	S		
	NQS_D0XK	Class	S		
	NQS_D0YK	Class	S		
	NQS_A0XK	Class	S		
	NQS_A0YK	Class	S		
	NQS_00XK	Class	S		
	NQS_00YK	Class	S		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES	TECHNICAL SPECIFICATION	REMARK
	NLI_01RK Class A NLC_04SK Class A NAC_D1QK Class S NER_04PM Class A NER_N4PM Class A NVQ_04XM Class S NVQ_N4XM Class S NVQ_D4XM Class S NVQ_09YK Class S NVQ_N9YK Class S NQV_D9YK Class S		
ACOUSTIC CHARACTERISTICS: GROUP	Group II	PN-EN 1112:2008	PART 12
CLEANING	Pass	PN-EN 1112:2008	PART 13
SWIVEL JOINT	Pass	PN-EN 1112:2008	PART 14
For all product parts fall within PN-EN 1113			
HYDRAULIC CHARACTERISTICS	Pass	PN-EN 1113:2015	PART 8
LEAKTIGHTNESS AND MECHANICAL CHARACTERISTICS	Pass	PN-EN 1113:2015	PART 9
SWIVEL JOINT	Pass	PN-EN 1113:2015	PART 10

8. THE PERFORMANCES OF THE PRODUCT IDENTIFIED ABOVE ARE COMPATIBLE WITH ALL DECLARED PERFORMANCES LISTED IN POINT 8. PRESENTED NATIONAL DECLARATION OF PERFORMANCE IS ISSUED IN ACCORDANCE WITH THE ACT OF 16TH APRIL 2004 ON CONSTRUCTION PRODUCTS, ON THE SOLE RESPONSIBILITY OF THE MANUFACTURE.

Zgierz, 01.07.2018
 Update I 07.08.2018, II 06.03.2019, III 30.07.2019
 IV 28.05.2020, V 26.08.2020, VI 23.03.2021
 VII 27.09.2022, VIII 20.03.2023, IX 12.07.2023
 X 12.09.2023, XI 18.12.2023, XII 28.02.2024, XIII 15.07.2024
 XIII 15.10.2024 XIV 28.11.2024



Wojciech Borkowski
 Chief Executive Officer
 Wojciech Borkowski