

NATIONAL DECLARATION OF PERFORMANCE

nr N/MIESZ/2018

1. TYPE DESIGNATION OF THE CONSTRUCTION PRODUCT: SANITARY SHOWER SET UNDER CODES:

1) NAC_016M	34) NAC_N9JP	67) NQS_D9YK	105) NQL_N9YK
2) NAC_019M	35) NAC_09VA	68) NQS_F9YK	106) NQL_09YK
3) NVO_019M	36) NAC_N9VA	69) NQS_N9YK	107) NQL_D9YK
4) NAC_01AM	37) NAC_09KP	70) NQS_R9YK	108) NQS_C4XM
5) NAC_01EM	38) NAC_09MP	71) NTT_09QP	109) NQS_C9YK
6) NAC_01JM	39) NAC_09QP	72) NTT_D9QP	110) NQS_C9XK
7) NAC_N1JM	40) NAC_Z9QP	73) NTT_N9QP	111) NQS_C0YK
8) NAC_01QK	41) NAC_N9FP	74) NTT_Z9QP	112) NQS_C0XK
9) NAC_Z1QK	42) NAC_N9MP	75) NTT_01QK	113) NQS_R0YK
10) NAC_09TP	43) NAC_N9QP	76) NTT_D1QK	114) NQS_R0XK
11) NAC_D9TP	44) NAC_01QG	77) NTT_N1QK	115) NQS_N0YK
12) NAC_N9TP	45) NAC_09LM	78) NTT_Z1QK	116) NQS_N0XK
13) NAC_01QM	46) NAC_A1QM	79) NTT_09QA	117) NQS_F0YK
14) NAC_01WM	47) NAC_D1QK	80) NTT_D9QA	118) NQS_F0XK
15) NAC_09AP	48) NAC_D9QP	81) NTT_N9QA	119) NQS_D0YK
16) NAC_09BP	49) NAC_N9PP	82) NTT_Z9QA	120) NQS_D0XK
17) NAC_09LP	50) NER_N1RK	83) NAC_N1AM	121) NQS_A0YK
18) NAC_09VG	51) NVA_N1RK	84) NAC_Z1AM	122) NQS_A0XK
19) NAC_N9VG	52) NAC_N1BZ	85) NAC_R1QK	123) NQS_00YK
20) NAC_Z9VG	53) NVS_01QM	86) NAC_D10K	124) NQS_00XK
21) NAC_09NP	54) NVS_N1QM	87) NAC_N10K	125) NLI_01RK
22) NAC_09RP	55) NQS_F4XM	88) BFCA044P	126) NLC_04SK
23) NBJ_01RK	56) NQS_D4XM	89) NAC_09TQ	127) NAC_D1QK
24) NBJ_01SK	57) NQS_N4XM	90) NAC_N9TQ	128) NER_04PM
25) NAC_01SM	58) NQS_R4XM	91) NAC_M9TQ	129) NER_N4PM
26) NAC_N1QK	59) NAC_09QA	92) NAC_R9QP	130) NVQ_04XM
27) NAC_N1QM	60) NAC_D9QA	93) NLU_F1RK	131) NVQ_D4XM
28) NAC_01PM	61) NAC_N9QA	94) NUT_04XM	132) NVQ_N4XM
29) NAC_09DP	62) NAC_Z9QA	95) NER_01RK	133) NVQ_09YK
30) NAC_09EP	63) NQS_D9XK	96) NAC_06QP	134) NVQ_D9YK
31) NAC_09IP	64) NQS_F9XK	97) NAC_D6QP	135) NVQ_N9YK
32) NAC_09JP	65) NQS_N9XK	98) NAC_N6QP	136) NHS_R4XM
33) NAC_09HP	66) NQS_R9XK	99) NAC_09GA	137) NHS_F4XM
		100) NQL_04XM	138) NHS_R0XY
		101) NQL_D4XM	139) NHS_R0YK
		102) NQL_N4XM	140) NHS_R9XK
		103) NAC_Z9LP	141) NHS_R9YK
		104) NAC_N9LP	142) NHS_F0XY
			143) NHS_F0YK
			144) NHS_F9XK
			145) NHS_F9YK
			146) NER_04PM
			147) NER_N4PM

- INTENDED USE OR USES: USED FOR ABLUTIONARY PURPOSES AND INTENDED FOR EQUIPPING AND SUPPLEMENTIG SANITARY TAPWARE FOR BATH AND SHOWERS
- NAME AND ADDRESS OF THE MANUFACTURE: Deante sp. Z o.o. ul. Twarda 11/13, 95-100 Zgierz
- NAME AND ADDRESS OF THE AUTHORIZED REPRESENTATIVE IF IT HAS BEEN ESTABLISHED: N/A
- THE NATIONAL SYSTEM USED TO ASSESS AND VERIFY THE CONSTANCY OF PERFORMANCE : 4.
- NATIONAL TECHNICAL SPECIFICATION
 - POLISH PRODUCT STANDARD: PN-EN 817:2008
 - POLISH PRODUCT STANDARD: PN-EN 1112:2008
 - POLISH PRODUCT STANDARD: PN-EN 1113:2015-06
- DECLARED PERFORMANCES

www.deante.pl

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES	TECHNICAL SPECIFICATION	REMARK
For all product parts fall within PN-EN 817			
LEAKTIGHTNESS CHARACTERISTICS	Pass	PN-EN 817:2008	PART 8
RESISTANCE TO PRESSURE	pass	PN-EN 817:2008	PART 9
HYDRAULIC CHARACTERISTICS (FLOW RATE): class	Pass for pressure 0,3 MPA:	PN-EN 817:2008	Part 10
	NAC_016M Class Z		
	NAC_019M Class Z		
	NVO_019M Class Z		
	NAC_01AM Class A		
	NAC_01EM Class Z		
	NAC_01JM Class A		
	NAC_N1JM Class A		
	NAC_01QK Class A		
	NAC_Z1QK Class A		
	NAC_09TP Class A		
	NAC_D9TP Class A		
	NAC_N9TP Class A		
	NAC_01QM Class Z		
	NAC_01WM Class S		
	NAC_09AP Class A		
	NAC_09BP Class Z		
	NAC_09LP Class A		
	NAC_09VG Class A		
	NAC_N9VG Class A		
	NAC_Z9VG Class A		
	NAC_09NP Class Z		
	NAC_09RP Class A		
	NBJ_01RK Class B		
	NBJ_01SK Class S		
	NAC_01SM Class S		
	NAC_N1QK Class A		
	NAC_N1QM Class Z		
	NAC_01PM Class S		
	NAC_09DP Class S		
	NAC_09EP Class Z		
	NAC_09IP Class A		
	NAC_09JP Class A		
	NAC_09HP Class B		
	NAC_N9JP Class A		
	NAC_09VA Class A		
	NAC_N9VA Class A		
	NAC_09KP Class S		
	NAC_09MP Class A		
	NAC_09QP Class Z		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NAC_Z9QP	Class	B		
	NAC_N9FP	Class	A		
	NAC_N9MP	Class	A		
	NAC_N9QP	Class	Z		
	NAC_01QG	Class	Z		
	NAC_09LM	Class	A		
	NAC_A1QM	Class	Z		
	NAC_D1QK	Class	A		
	NAC_D9QP	Class	B		
	NAC_N9PP	Class	Z		
	NER_N1RK	Class	Z		
	NVA_N1RK	Class	Z		
	NAC_N1BZ	Class	Z		
	NVS_01QM	Class	Z		
	NVS_N1QM	Class	Z		
	NQS_F4XM	Class	S		
	NQS_D4XM	Class	S		
	NQS_N4XM	Class	S		
	NQS_R4XM	Class	S		
	NAC_09QA	Class	A		
	NAC_D9QA	Class	A		
	NAC_N9QA	Class	A		
	NAC_Z9QA	Class	S		
	NQS_D9XK	Class	S		
	NQS_F9XK	Class	S		
	NQS_N9XK	Class	S		
	NQS_R9XK	Class	S		
	NQS_D9YK	Class	S		
	NQS_F9YK	Class	S		
	NQS_N9YK	Class	S		
	NQS_R9YK	Class	S		
	NTT_09QP	Class	B		
	NTT_D9QP	Class	B		
	NTT_N9QP	Class	B		
	NTT_Z9QP	Class	B		
	NTT_01QK	Class	A		
	NTT_D1QK	Class	A		
	NTT_N1QK	Class	A		
	NTT_Z1QK	Class	A		
	NTT_09QA	Class	A		
	NTT_D9QA	Class	A		
	NTT_N9QA	Class	A		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NTT_Z9QA	Class	A		
	NAC_N1AM	Class	A		
	NAC_Z1AM	Class	A		
	BFCA044P`	Class	S/B		
	NAC_09TQ	Class	S		
	NAC_N9TQ	Class	S		
	NAC_M9TQ	Class	S		
	NAC_R9QP	Class	Z		
	NLU_F1RK	Class	Z		
	NUT_04XM	Class	A		
	NER_01RK	Class	Z		
	NAC_06QP	Class	A		
	NAC_D6QP	Class	A		
	NAC_N6QP	Class	A		
	NQS_C4XM	Class	S		
	NQS_C9YK	Class	S		
	NQS_C9XK	Class	S		
	NQS_C0YL	Class	S		
	NQS_C0YK	Class	S		
	NQS_R0YK	Class	S		
	NQS_R0XK	Class	S		
	NQS_N0XK	Class	S		
	NQS_N0YK	Class	S		
	NQS_F0XK	Class	S		
	NQS_F0YK	Class	S		
	NQS_D0XK	Class	S		
	NQS_D0YK	Class	S		
	NQS_A0XK	Class	S		
	NQS_A0YK	Class	S		
	NQS_00XK	Class	S		
	NQS_00YK	Class	S		
	NLI_01RK	Class	A		
	NLC_04SK	Class	A		
	NAC_D1QK	Class	S		
	NER_04PM	Class	A		
	NER_N4PM	Class	A		
	NVQ_04XM	Class	S		
	NVQ_N4XM	Class	S		
	NVQ_D4XM	Class	S		
	NVQ_09YK	Class	S		
	NVQ_N9YK	Class	S		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NQV_D9YK	Class	S		
	NHS_R4XM	Class	S		
	NHS_F4XM	Class	S		
	NHS_ROXK	Class	S		
	NHS_ROYK	Class	S		
	NHS_R9XK	Class	S		
	NHS_R9YK	Class	S		
	NHS_F0XK	Class	S		
	NHS_F0YK	Class	S		
	NHS_F9XK	Class	S		
	NHS_F9YK	Class	S		
	NER_O4PM	Class	A		
	NER_N4PM	Class	A		
	LEAKTIGHTNESS CHARACTERISTICS	Pass			
MECHANICAL STRENGH CHARACTERISTICS	Pass			PN-EN 817:2008	Part 12
BACKFLOW PROTECTION	group II			PN-EN 817:2008	Part 13
ACOUSTIC CHARACTERISTICS: group	Pass			PN-EN 817:2008	Part 14
For all product parts fall within PN-EN 1112					
LEAKTIGHTNESS CHARACTERISTICS	Pass			PN-EN 1112:2008	Part 9
MECHANICAL CHARACTERISTICS	Pass			PN-EN 1112:2008	Part 10
HYDRAULIC CHARACTERISTICS (FLOW RATE): class	Pass for pressure 0,3 MPA:			PN-EN 1112:2008	Part 11
	NAC_016M	Class	Z		
	NAC_019M	Class	Z		
	NVO_019M	Class	Z		
	NAC_01AM	Class	A		
	NAC_01EM	Class	Z		
	NAC_01JM	Class	A		
	NAC_N1JM	Class	A		
	NAC_01QK	Class	A		
	NAC_Z1QK	Class	A		
	NAC_09TP	Class	A		
	NAC_D9TP	Class	A		
	NAC_N9TP	Class	A		
	NAC_01QM	Class	Z		
	NAC_01WM	Class	S		
	NAC_09AP	Class	A		
	NAC_09BP	Class	Z		
	NAC_09LP	Class	A		
	NAC_09VG	Class	A		
	NAC_N9VG	Class	A		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NAC_Z9VG	Class	A		
	NAC_09NP	Class	Z		
	NAC_09RP	Class	A		
	NBJ_01RK	Class	B		
	NBJ_01SK	Class	S		
	NAC_01SM	Class	S		
	NAC_N1QK	Class	A		
	NAC_N1QM	Class	Z		
	NAC_01PM	Class	S		
	NAC_09DP	Class	S		
	NAC_09EP	Class	Z		
	NAC_09IP	Class	A		
	NAC_09JP	Class	A		
	NAC_09HP	Class	B		
	NAC_N9JP	Class	A		
	NAC_09VA	Class	A		
	NAC_N9VA	Class	A		
	NAC_09KP	Class	S		
	NAC_09MP	Class	A		
	NAC_09QP	Class	Z		
	NAC_Z9QP	Class	B		
	NAC_N9FP	Class	A		
	NAC_N9MP	Class	A		
	NAC_N9QP	Class	Z		
	NAC_01QG	Class	Z		
	NAC_09LM	Class	A		
	NAC_A1QM	Class	Z		
	NAC_D1QK	Class	A		
	NAC_D9QP	Class	B		
	NAC_N9PP	Class	Z		
	NER_N1RK	Class	Z		
	NVA_N1RK	Class	Z		
	NAC_N1BZ	Class	Z		
	NVS_01QM	Class	Z		
	NVS_N1QM	Class	Z		
	NQS_F4XM	Class	S		
	NQS_D4XM	Class	S		
	NQS_N4XM	Class	S		
	NQS_R4XM	Class	S		
	NAC_09QA	Class	A		
	NAC_D9QA	Class	A		
	NAC_N9QA	Class	A		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NAC_Z9QA	Class	S		
	NQS_D9XK	Class	S		
	NQS_F9XK	Class	S		
	NQS_N9XK	Class	S		
	NQS_R9XK	Class	S		
	NQS_D9YK	Class	S		
	NQS_F9YK	Class	S		
	NQS_N9YK	Class	S		
	NQS_R9YK	Class	S		
	NTT_09QP	Class	B		
	NTT_D9QP	Class	B		
	NTT_N9QP	Class	B		
	NTT_Z9QP	Class	B		
	NTT_01QK	Class	A		
	NTT_D1QK	Class	A		
	NTT_N1QK	Class	A		
	NTT_Z1QK	Class	A		
	NTT_09QA	Class	A		
	NTT_D9QA	Class	A		
	NTT_N9QA	Class	A		
	NTT_Z9QA	Class	A		
	NAC_N1AM	Class	A		
	NAC_Z1AM	Class	A		
	BFCA044P	Class	S/B		
	NAC_09TQ	Class	S		
	NAC_N9TQ	Class	S		
	NAC_M9TQ	Class	S		
	NAC_R9QP	Class	Z		
	NLU_F1RK	Class	Z		
	NUT_04XM	Class	A		
	NER_01RK	Class	Z		
	NAC_06QP	Class	A		
	NAC_D6QP	Class	A		
	NAC_N6QP	Class	A		
	NAC_09GA	Class	A		
	NQL_04XM	Class	S		
	NQL_D4XM	Class	S		
	NQL_N4XM	Class	S		
	NQS_C4XM	Class	S		
	NQS_C9YK	Class	S		
	NQS_C9XK	Class	S		
	NQS_C0YL	Class	S		

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES			TECHNICAL SPECIFICATION	REMARK
	NQS_COYK	Class	S		
	NQS_ROYK	Class	S		
	NQS_ROXK	Class	S		
	NQS_NOXK	Class	S		
	NQS_NOYK	Class	S		
	NQS_FOXK	Class	S		
	NQS_FOYK	Class	S		
	NQS_DOXK	Class	S		
	NQS_DOYK	Class	S		
	NQS_AOXK	Class	S		
	NQS_AOYK	Class	S		
	NQS_OOXK	Class	S		
	NQS_OOYK	Class	S		
	NLI_01RK	Class	A		
	NLC_04SK	Class	A		
	NAC_D1QK	Class	S		
	NER_04PM	Class	A		
	NER_N4PM	Class	A		
	NVQ_04XM	Class	S		
	NVQ_N4XM	Class	S		
	NVQ_D4XM	Class	S		
	NVQ_09YK	Class	S		
	NVQ_N9YK	Class	S		
	NQV_D9YK	Class	S		
	NHS_R4XM	Class	S		
	NHS_F4XM	Class	S		
	NHS_ROXK	Class	S		
	NHS_R0YK	Class	S		
	NHS_R9XK	Class	S		
	NHS_R9YK	Class	S		
	NHS_F0XK	Class	S		
	NHS_F0YK	Class	S		
	NHS_F9XK	Class	S		
	NHS_F9YK	Class	S		
	NER_04PM	Class	A		
NER_N4PM	Class	A			
ACOUSTIC CHARACTERISTICS: GROUP	Group II			PN-EN 1112:2008	PART 12
CLEANING	Pass			PN-EN 1112:2008	PART 13
SWIVEL JOINT	Pass			PN-EN 1112:2008	PART 14
For all product parts fall within PN-EN 1113					
HYDRAULIC CHARACTERISTICS	Pass			PN-EN 1113:2015	PART 8
LEAKTIGHTNESS AND MECHANICAL CHARACTERISTICS	Pass			PN-EN 1113:2015	PART 9
SWIVEL JOINT	Pass			PN-EN 1113:2015	PART 10

8. THE PERFORMANCES OF THE PRODUCT IDENTIFIED ABOVE ARE COMPATIBLE WITH ALL DECLARED PERFORMANCES LISTED IN POINT 8. PRESENTED NATIONAL DECLARATION OF PERFORMANCE IS ISSUED IN ACCORDANCE WITH THE ACT OF 16TH APRIL 2004 ON CONSTRUCTION PRODUCTS, ON THE SOLE RESPONSIBILITY OF THE MANUFACTURE.

Zgierz, 01.07.2018
Update I 07.08.2018, II 06.03.2019, III 30.07.2019
IV 28.05.2020, V 26.08.2020, VI 23.03.2021
VII 27.09.2022, VIII 20.03.2023, IX 12.07.2023
X 12.09.2023, XI 18.12.2023, XII 28.02.2024, XIII 15.07.2024
XIII 15.10.2024 XIV 28.11.2024, XV 22.01.2025

 deante

Wojciech Borkowski
Chief Executive Officer
DEANTE

