

NATIONAL DECLARATION OF PERFORMANCE

nr N/TERM/2018

1. TYPE DESIGNATION OF THE CONSTRUCTION PRODUCT: SANITARY SHOWER SET UNDER CODES:

1) NAC_017T	12) NAC_09LT	23) NAC_D4HT	34) NTT_01HT	44) NAC_F4HT
2) NAC_01BT	13) NAC_N4GT	24) NAC_N4HT	35) NTT_D1HT	45) NAC_R4HT
3) NAC_01LT	14) NVA_N4GT	25) NAC_Z4HT	36) NTT_N1HT	46) NTT_F1HT
4) NVG_01LT	15) NAC_Z4GT	26) NVA_01HT	37) NTT_Z1HT	47) NTT_R1HT
5) NAC_091T	16) NAC_N4IT	27) NVA_D1HT	38) NTT_04HT	48) NTT_F4HT
6) NAC_09CT	17) NBJ_051T	28) NVA_N1HT	39) NTT_D4HT	49) NTT_R4HT
7) NAC_690T	18) NAC_01HT	29) NVA_Z1HT	40) NTT_N4HT	50) NAC_C1HT
8) NAC_691T	19) NAC_D1HT	30) NVA_04HT	41) NTT_Z4HT	51) NAC_C4HT
9) NAC_01GT	20) NAC_N1HT	31) NVA_D4HT	42) NAC_F1HT	52) NAC_A1HT
10) NVA_01GT	21) NAC_Z1HT	32) NVA_N4HT	43) NAC_R1HT	53) NAC_A4HT
11) NAC_01NT	22) NAC_04HT	33) NVA_Z4HT		54) NLC_04ST

- INTENDED USE OR USES: USED FOR ABLUTIONARY PURPOSES AND INTENDED FOR EQUIPPING AND SUPPLEMENTIG SANITARY TAPWARE FOR BATH AND SHOWERS
- NAME AND ADDRESS OF THE MANUFACTURE: Deante sp. Z o.o. ul. Twarda 11/13, 95-100 Zgierz
- NAME AND ADDRESS OF THE AUTHORIZED REPRESENTATIVE IF IT HAS BEEN ESTABLISHED: N/A
- THE NATIONAL SYSTEM USED TO ASSESS AND VERIFY THE CONSTANCY OF PERFORMANCE : 4.
- NATIONAL TECHNICAL SPECIFICATION
 - POLISH PRODUCT STANDARD: PN-EN 1111:2017-09
 - POLISH PRODUCT STANDARD: PN-EN 1112:2008
 - POLISH PRODUCT STANDARD: PN-EN 1113:2015-06
- DECLARED PERFORMANCES

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES	TECHNICAL SPECIFICATION	REMARK
For all product parts fall within PN-EN 1111			
LEAKTIGHTNESS CHARACTERISTICS	Pass	PN-EN 1111:2017-09	PART 9
HYDRAULIC CHARACTERISTICS	Pass	PN-EN 1111:2017-09	PART 10
RESISTANCE TO INTERNAL PRESSURE	Pass	PN-EN 1111:2017-09	PART 11
RESISTANCE TO MECHANICAL WEAR	Pass	PN-EN 1111:2017-09	PART 12
MECHANICAL STRENGTH CHARACTERISTICS	Pass	PN-EN 1111:2017-09	PART 13
ACOUSTIC CHARACTERISTICS: group	group II	PN-EN 1111:2017-09	PART 14
For all product parts fall within PN-EN 1112			
LEAKTIGHTNESS CHARACTERISTICS	Pass	PN-EN 1112:2008	PART 9
MECHANICAL STRENGTH CHARACTERISTICS	Pass	PN-EN 1112:2008	PART 10
HYDRAULIC CHARACTERISTICS (FLOW RATE): class	Pass for pressure 0,3 MPA NAC_017T Class A NAC_01BT Class A NAC_01LT Class A NVG_01LT Class A NAC_091T Class Z NAC_09CT Class A	PN-EN 1112:2008	PART 11

www.deante.pl

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES	TECHNICAL SPECIFICATION	REMARK
	NAC_690T Class Z NAC_691T Class Z NAC_01GT Class A NVA_01GT Class A NAC_01NT Class A NAC_09LT Class A NAC_N4GT Class Z NVA_N4GT Class Z NAC_Z4GT Class Z NAC_N4IT Class Z NBJ_051T Class A NAC_01HT Class A NAC_D1HT Class A NAC_N1HT Class A NAC_Z1HT Class A NAC_04HT Class A NAC_D4HT Class A NAC_N4HT Class A NAC_Z4HT Class A NVA_01HT Class A NVA_D1HT Class A NVA_N1HT Class A NVA_Z1HT Class A NVA_04HT Class A NVA_D4HT Class A NVA_N4HT Class A NVA_Z4HT Class A NTT_01HT Class A NTT_D1HT Class A NTT_N1HT Class A NTT_Z1HT Class A NTT_04HT Class A NTT_D4HT Class A NTT_N4HT Class A NTT_Z4HT Class A NAC_R1HT Class A NAC_F1HT Class A NAC_R4HT Class A NAC_F4HT Class A NTT_R1HT Class A		

www.deante.pl

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES	TECHNICAL SPECIFICATION	REMARK
	NTT_F1HT Class A NTT_R4HT Class A NTT_F4HT Class A NAC_C1HT Class A NAC_C4HT Class A NAC_A1HT Class A NAC_A4HT Class A NLC_04ST Class Z		
ACOUSTIC CHARACTERISTICS: GROUP	Group II	PN-EN 1112:2008	PART 12
CLEANING	Pass	PN-EN 1112:2008	PART 13
SWIVEL JOINT	Pass	PN-EN 1112:2008	PART 14
For all product parts fall within PN-EN 1113			
HYDRAULIC CHARACTERISTICS	Pass	PN-EN 1113:2015	PART 8
LEAKTIGHTNESS AND MECHANICAL CHARACTERISTICS	Pass	PN-EN 1113:2015	PART 9
SWIVEL JOINT	Pass	PN-EN 1113:2015	PART 10

8. THE PERFORMANCES OF THE PRODUCT IDENTIFIED ABOVE ARE COMPATIBLE WITH ALL DECLARED PERFORMANCES LISTED IN POINT 8. PRESENTED NATIONAL DECLARATION OF PERFORMANCE IS ISSUED IN ACCORDANCE WITH THE ACT OF 16TH APRIL 2004 ON CONSTRUCTION PRODUCTS, ON THE SOLE RESPONSIBILITY OF THE MANUFACTURE.


Wojciech Borkowski
 Chief Executive Officer
 DEANTE Ltd
 Wojciech Borkowski

Zgierz, 01.07.2018
 Update I 07.08.2018, II 28.05.2020
 III 26.08.2020, IV 26.08.2020, V 27.09.2022
 VI 06.03.2023 VII 12.07.2023, VIII 28.11.2024

www.deante.pl

